

Sampling Point Bethel House	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Bethel House	06/04/1999	-	-	-	-	-	-	-	-	-
Bethel House	20/01/2000	0.62	0.91	1.77	-	-	0.95	-	-	-
Bethel House	19/04/2000	0.73	1.1	2.07	-	0.39	2.50	-	-	-
Bethel House	24/07/2000	0.88	0.90	1.69	-	-	1.40	-	-	-
Bethel House	01/11/2000	1.50	2.10	4.00	-	-	2.50	-	-	-
Bethel House	03/11/2000	1.10	1.70	3.30	-	-	3.10	-	-	-
Bethel House	22/04/2001	-	-	0.86	-	-	1.30	-	-	-
Bethel House	17/10/2001	-	-	1.50	-	-	1.30	-	-	-
Bethel House	04/04/2002	-	-	1.20	-	-	1.70	-	-	-
Bethel House	09/10/2002	-	-	0.23	-	-	0.61	-	-	-
Bethel House	15/10/2003	-	0.11	0.53	-	-	0.46	-	-	-
Bethel House	26/04/2004	0.82	0.93	3.10	-	-	0.58	-	-	-
Bethel House	26/10/2004	0.33	0.40	1.10	-	-	0.78	-	-	-
Bethel House	02/11/2004	-	-	-	-	-	1.40	-	-	-
Bethel House	05/06/2006	0.19	0.33	1.80	Nd	0.11	1.10	Nd	Nd	0.091
Bethel House	20/06/2006	0.11	0.33	1.30	Nd	0.11	1.00	Nd	Nd	0.16
Bethel House	04/07/2006	0.14	0.41	1.80	-	0.11	1.10	-	-	-
Bethel House	18/07/2006	0.12	0.33	1.30	Nd	0.10	1.10	Nd	Nd	0.22
Bethel House	21/05/2010	0.23	0.13	1.50	Nd	0.049	1.10	Nd	Nd	0.18
Bethel House	14/06/2011	0.22	0.18	2.00	Nd	0.06	1.00	Nd	Nd	0.19
Bethel House	20/02/2012	0.22/0.23 ₁₂	0.22/0.23 ₁₂	2.1/2.2 ₁₂	Nd/Nd ₁₂	0.063/0.075 ₁₂	0.92/0.94 ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	0.20/0.22 ₁₂
Bethel House	09/08/2012	0.19	0.18	1.8	Nd	0.054	0.76	Nd	Nd	0.16
Bethel House	05/03/2013	0.14	0.09	1.4	Nd	0.04	0.55	Nd	Nd	0.12
Bethel House	01/05/2014	0.15	0.18	2.2	Nd	0.062	1.60	Nd	Nd	0.16
Bethel House	02/06/2015	0.14	0.16	1.9	Nd	0.034	1.00	Nd	Nd	0.19
Sampling Point Les Cotils	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Les Cotils	06/04/1999	-	-	-	-	-	-	-	-	-
Les Cotils	20/01/2000	0.83	1.4	2.93	-	-	1.20	-	-	-
Les Cotils	20/04/2000	2.38	4.8	10.15	12.18	2.2	60.00	-	-	-
Les Cotils	09/06/2000	2.28	2.70	4.89	<0.84	0.33	1.80	-	-	-
Les Cotils	28/07/2000	2.33	2.9	5.26	-	0.39	2.20	-	-	-
Les Cotils	03/11/2000	1.70	2.20	4.00	-	0.23	1.00	-	-	-
Les Cotils	04/11/2000	2.70	4.40	11.00	-	0.84	3.70	-	-	-
Les Cotils	01/05/2001	-	2.10	2.30	-	0.84	3.70	-	-	-
Les Cotils	23/10/2001	1.70	2.10	3.60	-	0.44	1.30	-	-	-
Les Cotils	04/04/2002	0.89	0.78	2.60	-	0.61	2.10	-	-	-
Les Cotils	16/10/2002	-	-	0.61	-	-	1.70	-	-	-
Les Cotils	03/02/2003	1.20	2.30	4.40	-	-	1.00	-	-	-
Les Cotils	06/03/2003	1.20	2.10	3.80	-	0.61	3.00	-	-	-
Les Cotils	06/05/2003	1.20	2.40	5.20	0.52	0.40	1.30	-	-	-
Les Cotils	24/07/2003	4.70	9.10	19.00	-	0.55	1.80	-	-	-
Les Cotils	19/09/2003	4.90	7.20	14.00	0.76	1.50	8.10	-	-	-
Les Cotils	15/10/2003	0.38	0.85	3.20	0.11	0.81	5.40	-	-	-
Les Cotils	05/01/2004	0.26	0.55	1.90	-	0.48	3.30	-	-	-
Les Cotils	30/01/2004	7.90	11.00	16.00	2.60	0.26	1.50	-	-	-
Les Cotils	18/02/2004	2.90	3.30	7.90	0.74	0.99	9.40	-	-	-
Les Cotils	09/03/2004	2.20	3.90	7.60	0.95	0.95	5.20	-	-	-
Les Cotils	26/04/2004	3.40	0.83	15.00	0.71	0.95	3.40	-	-	-
Les Cotils	15/07/2004	2.50	6.50	14.00	-	0.94	3.70	-	-	-
Les Cotils	29/09/2004	4.30	7.00	15.00	0.64	1.70	9.60	-	-	-
Les Cotils	02/11/2004	0.97	1.50	4.00	-	1.40	5.10	-	-	-
Les Cotils	23/02/2005	6.00	5.60	14.00	0.84	1.40	5.80	-	-	-
Les Cotils	30/03/2005	4.90	12.00	18.00	-	2.20	12.00	-	-	-
Les Cotils	16/05/2005	2.90	4.00	6.30	2.50	1.60	3.20	-	-	-
Les Cotils	10/11/2005	12.00	19.00	44.00	-	11.00	4.50	-	-	-
Les Cotils	31/05/2006	1.30	2.70	11.00	0.68	0.91	4.80	Nd	Nd	3.5
Les Cotils	07/12/2006	1.80	3.70	15.00	0.49	1.10	6.20	Nd	Nd	0.98
Les Cotils	27/06/2007	1.60	2.90	14.00	0.86	0.75	5.10	Nd	Nd	0.98
Les Cotils	09/01/2008	4.4/5.0 ₁₂	19/23 ₁₂	30/34 ₁₂	1.5/1.6 ₁₂	1.0/1.1 ₁₂	4.2/4.5 ₁₂	Nd	Nd	3.50
Les Cotils	11/06/2008	1.20	4.50	14.00	1.60	1.40	9.40	Nd	Nd	0.83
Les Cotils	16/12/2008	1.40	0.88	8.30	Nd	0.52	3.50	Nd	Nd	0.43
Les Cotils	22/06/2009	5.2/4.8 ₁₂	2.1/2.1 ₁₂	8.7/8.2 ₁₂	Nd/Nd ¹²	0.7/0.75 ₁₂	5.6/6.0 ₁₂	Nd/Nd ¹²	Nd/Nd ¹²	0.83/0.85 ₁₂
Les Cotils	22/12/2009	-	-	-	-	-	2.90	-	-	0.39
Les Cotils	03/02/2011	-	-	-	-	-	3.30	-	-	0.46
Les Cotils	16/06/2011	-	-	-	-	-	4.10	-	-	1.1
Les Cotils	13/02/2012	1.5	1.5	8.9	0.15	0.4	3.10	Nd	Nd	0.7
Les Cotils	09/08/2012	1.2	1.4	8.8	0.12	0.37	3.20	Nd	Nd	0.66
Les Cotils	05/03/2013	0.77	0.71	4.93	0.08	0.17	1.05	Nd	Nd	0.34
Les Cotils	15/05/2014	1.2	1.2	9.4	0.45	0.44	3.30	Nd	Nd	0.73
Les Cotils	13/05/2015	1.0	1.3	8.3	0.12	0.29	3.00	Nd	Nd	0.59
Les Cotils	02/06/2016	0.8	0.62	13	0.48	0.57	6.8	Nd	Nd	0.68
Les Cotils	02/05/2017	3.1	2.6	21	1.6	1.3	19	Nd	0.284	1.6
Sampling Point Le Guet	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Le Guet	02/06/2015	0.45/0.54 ₁₂	0.72/0.88 ₁₂	7.1/8.5 ₁₂	0.49/0.61 ₁₂	0.46/0.55 ₁₂	25/26 ₁₂	Nd/Nd ₁₂	0.19/0.17 ₁₂	0.44/0.58 ₁₂
Le Guet	23/02/2016	0.81	1.4	10	0.96	0.66	33	Nd	0.23	0.67
Le Guet	30/06/2016	0.62	0.78	11	0.93	0.37	29	Nd	0.34	0.63
Sampling Point Camelia Cottage	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Camelia Cottage	25/05/2010	0.19	0.14	1.3	Nd	0.032	1.6	Nd	Nd	0.094
Camelia Cottage	09/03/2012	0.17	0.2	2	Nd	0.058	1.9	Nd	Nd	0.16
Camelia Cottage	17/04/2014	0.21	0.27	3.0	Nd	0.080	4.2	Nd	Nd	0.17
Camelia Cottage	26/05/2015	0.11	0.17	1.7	Nd	0.035	2.2	Nd	Nd	0.13
Sampling Point Chateau du Port	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Chateau du Port	06/04/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	05/05/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	11/05/1999	-	-	5.24	-	-	5.03	-	-	-
Chateau du Port	18/05/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	25/05/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	01/06/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	08/06/1999	-	-	-	-	-	-	-	-	-
Chateau du Port	14/06/1999	0.72	-	2.82	-	-	2.79	-	-	-
Chateau du Port	22/06/1999	1.56	-	5.24	-	-	3.64	-	-	-
Chateau du Port	07/01/2000	-	-	2.97	-	-	3.40	-	-	-
Chateau du Port	25/04/2000	2.69	3.5	5.64	3.36	0.93	5.40	-	-	-
Chateau du Port	29/07/2000	3.73	5.1	6.02	4.62	1.4	8.70	-	-	-
Chateau du Port	02/11/2000	1.8	1.6	2.7	-	-	2.60	-	-	-
Chateau du Port	22/04/2001	1.6	2.8	2.00	-	-	3.50	-	-	-
Chateau du Port	23/10/2001	-	2.60	2.70	-	-	4.50	-	-	-
Chateau du Port	04/04/2002	1.00	1.80	2.30	1.10	-	2.50	-	-	-
Chateau du Port	05/10/2002	-	-	0.65	-	-	1.90	-	-	-
Chateau du Port	07/05/2003	0.76	1.40	3.50	0.28	0.61	2.70	-	-	-
Chateau du Port	15/10/2003	0.24	0.52	1.70	-	0.31	4.90	-	-	-
Chateau du Port	21/04/2004	1.60	2.20	7.40	-	0.19	5.10	-	-	-
Chateau du Port	27/10/2004	0.75	1.10	3.00	-	0.30	4.60	-	-	-
Chateau du Port	05/06/2006	0.66	1.20	5.50	0.32	0.38	6.80	Nd	Nd	0.36
Chateau du Port	26/06/2006	0.52	1.60	5.00	0.34	0.47	5.50	-	-	-
Chateau du Port	10/07/2006	0.20	0.70	2.20	4.30	0.22	2.70	-	-	-
Chateau du Port	18/07/2006	0.48	1.40	4.60	0.21	0.50	6.90	Nd	Nd	0.44
Chateau du Port	20/06/2011	1.00	0.84	5.70	0.15	0.24	4.50	Nd	Nd	0.42
Chateau du Port	21/02/2012	0.89	1.0	6.6	0.093	0.28	5.00	Nd	Nd	0.38
Chateau du Port	09/08/2012	0.52	0.71	4.8	0.071	0.19	3.90	Nd	Nd	0.31
Chateau du Port	05/03/2013	0.53	0.54	3.9	0.06	0.13	2.34	Nd	Nd	0.23
Chateau du Port	15/04/2014	0.53	0.55	4.9	0.14	0.18	4.60	Nd	Nd	0.34

Sampling Point Watersplash	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Watersplash RH source	06/04/1999	-	-	-	-	-	-	-	-	-
Watersplash RH source	05/05/1999	-	-	-	-	-	-	-	-	-
Watersplash RH source	11/05/1999	-	-	1.8	-	-	0.22	-	-	-
Watersplash RH source	19/05/1999	-	-	-	-	-	-	-	-	-
Watersplash RH source	25/05/1999	-	-	-	-	-	-	-	-	-
Watersplash RH source	01/06/1999	-	-	-	-	-	-	-	-	-
Watersplash RH source	08/06/1999	-	-	-	-	-	-	-	-	-
Watersplash RH source	15/06/1999	0.52	-	1.80	-	-	0.43	-	-	-
Watersplash RH source	22/06/1999	-	-	9.02	-	-	1.86	-	-	-
Watersplash RH source	08/12/1999	-	-	-	-	-	0.49	-	-	-
Watersplash RH source	07/01/2000	-	-	1.73	-	-	1.10	-	-	-
Watersplash RH source	19/01/2000	0.78	1.30	2.41	-	-	0.82	-	-	-
Watersplash RH source	18/04/2000	1.04	1.70	2.67	<0.84	0.46	1.00	-	-	-
Watersplash RH source	19/07/2000	0.57	1.30	1.65	-	-	0.56	-	-	-
Watersplash RH source	01/11/2000	-	-	2.60	-	-	1.10	-	-	-
Watersplash RH source	07/11/2000	1.40	2.20	3.90	-	0.63	2.00	-	-	-
Watersplash RH source	21/04/2001	1.10	1.60	1.00	-	0.63	2.00	-	-	-
Watersplash RH source	15/10/2001	-	-	2.10	-	-	1.30	-	-	-
Watersplash RH source	12/04/2002	-	1.10	1.60	-	-	1.50	-	-	-
Watersplash RH source	09/10/2002	-	-	0.30	-	-	0.52	-	-	-
Watersplash RH source	29/04/2003	0.69	1.80	2.70	-	-	0.52	-	-	-
Watersplash RH source	16/10/2003	0.09	0.24	0.43	-	-	1.30	-	-	-
Watersplash RH source	26/04/2004	0.69	0.84	1.70	-	-	0.94	-	-	-
Watersplash RH source	27/10/2004	0.19	0.41	0.57	-	-	0.48	-	-	-
Watersplash RH source	28/10/2004	-	-	-	-	-	0.48	-	-	-
Watersplash RH source	13/06/2006	0.12	0.32	0.74	Nd	0.11	0.58	Nd	Nd	Nd
Watersplash RH source	25/07/2006	0.09	0.27	0.66	Nd	0.08	0.40	Nd	Nd	0.14
Watersplash RH source	27/06/2006	0.15	0.15	1.40	Nd	0.02	0.45	Nd	Nd	0.069
Watersplash RH source	11/07/2006	-	-	-	-	-	0.50	-	-	-
Watersplash RH source	27/04/2006	-	-	-	-	-	0.40	-	-	0.14
Watersplash RH source	12/07/2016	0.15	0.15	1.40	Nd	0.02	0.45	Nd	Nd	0.069
Watersplash LH Source	07/04/1999	-	-	-	-	-	-	-	-	-
Watersplash LH Source	30/04/1999	-	-	-	-	-	-	-	-	-
Watersplash LH Source	07/05/1999	-	-	1.57	-	-	nd	-	-	-
Watersplash LH Source	14/05/1999	-	-	-	-	-	-	-	-	-
Watersplash LH Source	21/05/1999	0.68	-	2.56	-	-	1.16	-	-	-
Watersplash LH Source	28/05/1999	0.56	-	2.15	-	-	Nd	-	-	-
Watersplash LH Source	04/06/1999	0.56	-	2.24	-	-	0.39	-	-	-
Watersplash LH Source	11/06/1999	0.40	-	1.63	-	-	0.43	-	-	-
Watersplash LH Source	25/01/2000	0.48	0.75	1.39	-	-	0.65	-	-	-
Watersplash LH Source	14/04/2000	1.19	2.00	3.46	1.64	0.67	1.80	-	-	-
Watersplash LH Source	24/07/2000	1.50	1.30	2.63	-	-	1.10	-	-	-
Watersplash LH Source	27/10/2000	1.20	1.60	2.80	-	0.42	0.83	-	-	-
Watersplash LH Source	10/11/2000	1.50	2.30	4.20	-	-	2.20	-	-	-
Watersplash LH Source	17/04/2001	1.10	1.60	1.20	-	-	2.20	-	-	-
Watersplash LH Source	17/10/2001	-	2.20	2.60	-	-	1.00	-	-	-
Watersplash LH Source	05/04/2002	-	1.00	1.50	-	-	1.90	-	-	-
Watersplash LH Source	09/10/2002	-	-	0.30	-	-	5.00	-	-	-
Watersplash LH Source	07/05/2003	0.33	0.69	1.00	0.45	-	0.56	-	-	-
Watersplash LH Source	04/11/2003	0.10	0.20	0.60	-	0.13	0.62	-	-	-
Watersplash LH Source	21/04/2004	0.56	1.30	1.50	-	-	0.68	-	-	-
Watersplash LH Source	25/10/2004	0.19	0.23	0.71	-	0.11	0.07	-	-	-
Watersplash LH Source	04/11/2004	0.10	0.20	0.60	-	-	0.81	-	-	-
Watersplash LH Source	05/06/2006	0.14	0.17	0.76	Nd	0.06	0.34	Nd	Nd	Nd
Watersplash LH Source	20/06/2006	0.06	0.14	0.35	0.09	0.04	0.29	Nd	Nd	0.06
Watersplash LH Source	04/07/2006	0.1	0.26	0.54	0.26	0.07	0.25	-	-	-
Watersplash LH Source	18/07/2006	0.09	0.20	0.58	0.13	0.07	0.23	Nd	Nd	0.06
Watersplash LH Source	21/03/2016	Nd/Nd ₁₂	0.20/0.18 ₁₂	1.2/1.0 ₁₂	Nd/Nd ₁₂	0.026/0.022 ₁₂	0.17/0.15 ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	0.074/0.079 ₁₂
Watersplash LH Source	06/07/2016	0.17	0.15	1.6	Nd	0.023	0.47	Nd	Nd	0.093
Sampling Point Pres d'Etang	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Pres d'Etang	15/02/1999	-	-	-	-	-	-	-	-	-
Pres d'Etang	09/06/1999	-	-	-	-	-	nd	-	-	-
Pres d'Etang	15/06/1999	-	-	-	-	-	nd	-	-	-
Pres d'Etang	22/06/1999	-	-	-	-	-	nd	-	-	-
Pres d'Etang	30/06/1999	-	-	-	-	-	nd	-	-	-
Pres d'Etang	31/03/2006	0.05	0.17	0.63	0.53	0.05	2.16	0.53	0.53	-
Pres d'Etang	24/04/2006	-	-	-	-	-	nd	-	-	nd
Pres d'Etang	12/06/2006	<0.58	<0.58	0.05	<0.53	<0.58	0.08	<0.53	<0.53	0.03
Pres d'Etang	26/06/2006	<0.58	<0.58	0.03	0.21	<0.58	0.01	<0.53	<0.53	0.03
Pres d'Etang	10/07/2006	<0.58	<0.58	0.04	<0.53	<0.58	0.04	<0.53	<0.53	0.03
Pres d'Etang	24/07/2006	<0.58	<0.58	0.04	Nd	0.16	<0.58	0.01	<0.53	0.03
Sampling Point Les Sablons	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Les Sablons	22/02/2012	0.020/0.017 ₁₂	0.010/0.010 ₁₂	0.053/0.049 ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂
Les Sablons	14/08/2012	0.025	Nd	0.035	Nd	Nd	Nd	Nd	Nd	Nd
Les Sablons	05/03/2013	0.02	Nd	0.03	Nd	Nd	Nd	Nd	Nd	Nd
Les Sablons	01/05/2014	Nd	0.016	0.076	Nd	Nd	Nd	Nd	Nd	Nd

Sampling Point Elm Farm	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Elm Farm Kitchen sink	06/04/1999	7.00	4.64	13.67	4.88	1.93	43.33	-	-	-
Elm Farm Kitchen sink	24/01/2000	2.18	4.00	12.03	4.2	1.8	41.00	-	-	-
Elm Farm Kitchen sink	21/04/2000	5.18	9.10	26.69	10.5	3.30	83.00	-	-	-
Elm Farm Kitchen sink	28/07/2000	2.85	4.30	13.16	5.04	1.90	32.00	-	-	-
Elm Farm Kitchen sink	03/11/2000	0.82	0.88	3.70	1.10	0.52	6.50	-	-	-
Elm Farm Kitchen sink	04/11/2000	6.4	12.00	40.00	11.00	4.70	98.00	-	-	-
Elm Farm Kitchen sink	21/04/2001	3.00	5.50	7.90	3.60	1.50	41.00	-	-	-
Elm Farm Kitchen sink	23/10/2001	2.50	4.60	9.70	5.50	2.00	30.00	-	-	-
Elm Farm Kitchen sink	04/04/2002	1.50	2.70	5.80	2.10	1.10	18.00	-	-	-
Elm Farm Kitchen sink	15/10/2002	-	-	1.00	0.39	0.30	7.90	-	-	-
Elm Farm Kitchen sink	03/02/2003	1.40	2.90	7.30	2.00	1.30	30.00	-	-	-
Elm Farm Kitchen sink	06/03/2003	0.94	2.10	4.80	1.20	0.66	16.00	-	-	-
Elm Farm Kitchen sink	07/05/2003	1.20	2.70	7.20	2.20	1.00	23.00	-	-	-
Elm Farm Kitchen sink	12/06/2003	4.20	8.20	28.00	3.90	3.30	74.00	-	2.00	-
Elm Farm Kitchen sink	22/07/2003	5.70	12.00	34.00	4.40	3.60	52.00	-	-	-
Elm Farm Kitchen sink	22/09/2003	6.40	9.20	23.00	1.20	2.20	34.00	-	-	-
Elm Farm Kitchen sink	15/10/2003	0.37	0.91	4.7	0.58	0.81	23.00	-	0.52	-
Elm Farm Kitchen sink	05/01/2004	0.53	1.3	5.3	0.81	0.8	13.00	-	0.60	-
Elm Farm Kitchen sink	30/01/2004	-	-	-	-	-	51.00	-	-	-
Elm Farm Kitchen sink	18/02/2004	2.2	3.1	11	1.7	2.3	36.00	-	-	-
Elm Farm Kitchen sink	15/03/2004	4.1	3.2	11	1.6	1.2	31.00	-	-	-
Elm Farm Kitchen sink	26/04/2004	2.1	4.1	14	2.7	2.2	41.00	0.35	0.91	-
Elm Farm Kitchen sink	26/05/2004	1.2	2	6.5	0.85	0.78	17.00	-	-	-
Elm Farm Kitchen sink	15/07/2004	2.0	5.0	12.0	-	2.30	52.00	-	-	-
Elm Farm Kitchen sink	25/08/2004	2.7	5.4	11.0	-	0.97	23.00	-	-	-
Elm Farm Kitchen sink	29/09/2004	1.60	2.80	11.00	0.62	2.20	44.00	-	-	-
Elm Farm Kitchen sink	05/10/2004	2.40	3.90	12.00	1.60	1.60	33.00	-	0.73	-
Elm Farm Kitchen sink	02/11/2004	2.00	3.30	9.50	-	1.30	22.00	-	-	-
Elm Farm Kitchen sink	28/02/2005	2.70	3.60	12.00	1.80	2.00	34.00	-	0.98	-
Elm Farm Kitchen sink	30/03/2005	2.40	6.40	16.00	0.77	2.80	71.00	-	1.4	-
Elm Farm Kitchen sink	16/05/2005	2.50	4.00	8.60	-	1.80	30.00	-	-	-
Elm Farm Kitchen sink	09/11/2005	4.50	0.37	25.00	-	8.60	23.00	-	-	-
Elm Farm Kitchen sink	30/05/2006	0.83	2.0	12	2.5	1.4	31.00	0.43	1.4	1.0
Elm Farm Kitchen sink	30/05/2006	0.08	0.13	0.99	0.01	0.01	0.21	Nd	Nd	0.06
Elm Farm Kitchen sink	30/05/2006	0.81	2.0	11	2.4	1.2	30.00	0.15	0.93	0.70
Elm Farm Kitchen sink	27/06/2007	0.64	2.0	14	4.4	1.1	28.00	0.59	2.9	0.88
Elm Farm Kitchen sink	09/06/2008	0.84	2.9	11	2.3	1.1	29.00	Nd	3.0	0.72
Elm Farm Kitchen sink	16/12/2008	0.86	0.69	11	2.6	0.94	34.00	0.35	1.5	0.86
Elm Farm Kitchen sink	23/06/2009	1.5	1.3	8.3	2.3	0.89	27.00	Nd	2.5	0.83
Elm Farm Kitchen sink	21/12/2009	-	-	-	-	-	30.00	-	-	0.68
Elm Farm Kitchen sink	03/02/2011	-	-	-	-	-	38.00	-	-	0.77
Elm Farm Kitchen sink	22/06/2011	0.75	0.98	9.6	2.2	0.63	29.00	0.24	1.1	1.40
Elm Farm Kitchen sink	22/02/2012	1.0	1.3	12	1.6	0.8	30.00	0.17	1.2	0.97
Elm Farm Kitchen sink	09/08/2012	0.64	0.86	7.7	0.89	0.50	19.00	0.050	0.56	0.69
Elm Farm Kitchen sink	05/03/2013	0.66	0.76	8.2	0.89	0.48	17.00	0.050	0.83	0.60
Elm Farm Kitchen sink	16/04/2014	0.87	1.1	14	4.5	1.2	41.00	0.94	4.9	1.3
Elm Farm Kitchen sink	01/06/2015	0.82	1.2	11	0.79	0.72	23.00	nd	0.42	0.84
Elm Farm Kitchen sink	22/06/2016	0.65	0.50	8.6	1.3	0.52	21.00	Nd	Nd	0.67
Elm Farm	02/05/2017	1.4	1.30	14	1.9	1.1	30.00	Nd	0.42	1.3
Sampling Point Wing Hing	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Wing Hing Kitchen Sink	06/06/2006	0.09	0.16	0.88	0.23	Nd	0.23	Nd	Nd	Nd
Wing Hing Kitchen Sink	07/12/2006	0.16	0.24	1.1	0.36	0.024	0.33	Nd	Nd	0.058
Wing Hing Kitchen Sink	21/05/2010	0.16	0.13	1.00	Nd	Nd	0.27	Nd	Nd	0.083
Wing Hing Kitchen Sink	03/02/2011	-	-	-	-	-	1.70	-	-	0.15
Wing Hing Kitchen Sink	15/11/2011	Nd	Nd	0.019	Nd	Nd	0.034	Nd	Nd	0.033
Wing Hing Kitchen Sink	15/11/2011	0.011	Nd	0.021	Nd	Nd	0.038	Nd	Nd	Nd
Wing Hing Kitchen Sink	04/06/2015	Nd	Nd	0.013	Nd	Nd	Nd	Nd	Nd	0.050
Wing Hing Workshop	05/12/2011	0.010	Nd	0.019	Nd	Nd	0.03	Nd	Nd	Nd
Wing Hing Workshop	12/03/2012	Nd	Nd	0.022	Nd	Nd	0.034	Nd	Nd	Nd
Wing Hing Workshop	15/08/2012	Nd	Nd	0.021	Nd	Nd	0.028	Nd	Nd	Nd
Wing Hing Workshop	06/03/2013	0.020	Nd	0.010	Nd	Nd	Nd	Nd	Nd	Nd
Wing Hing Workshop	16/04/2014	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Wing Hing Workshop	15/05/2015	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Sampling Point Maison Guet	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Maison Guet borehole	23/02/2016	9.8	12	52	Nd	3.9	44	Nd	Nd	5.0
Maison Guet borehole	01/07/2016	11	11	67	Nd	3.7	46	Nd	Nd	5.0
Sampling Point Le Trois Vents	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Les Trois Vents Borehole	10/11/2005	0.79	0.72	3.60	-	-	2.40	-	-	-
Les Trois Vents Borehole	19/06/2006	0.07	0.21	0.79	-	0.06	0.72	-	-	-
Les Trois Vents Borehole	07/12/2006	0.12	0.27	1.6	Nd	0.06	0.72	Nd	Nd	0.08
Les Trois Vents Borehole	19/06/2006	0.07	0.21	0.79	Nd	0.06	0.72	Nd	Nd	Nd
Les Trois Vents Borehole	07/12/2006	0.12	0.27	1.6	Nd	0.061	0.72	Nd	Nd	0.080
Les Trois Vents Borehole	25/05/2010	0.21	0.16	1.5	Nd	0.049	1.50	Nd	Nd	0.15
Les Trois Vents Borehole	11/02/2011	0.18	0.19	2.00	Nd	0.09	2.20	Nd	Nd	0.11
Les Trois Vents Borehole	16/06/2011	0.28	0.26	2.8	Nd	0.12	4.50	Nd	Nd	0.66
Les Trois Vents Borehole	20/02/2012	0.18	0.20	2.0	Nd	0.086	2.50	Nd	Nd	0.2
Les Trois Vents Borehole	15/08/2012	0.13	0.18	1.6	Nd	0.058	2.30	Nd	Nd	0.14
Les Trois Vents Borehole	05/03/2013	0.15	0.14	1.56	Nd	0.04	1.80	Nd	Nd	0.09
Les Trois Vents Borehole	17/04/2014	0.29	0.30	3.5	Nd	0.11	7.10	Nd	Nd	0.26
Les Trois Vents Borehole	26/05/2015	0.19	0.24	3	Nd	0.071	5.30	Nd	Nd	0.20
Les Trois Vents Borehole	02/05/2017	0.15	0.13	1.6	Nd	0.037	3.30	Nd	Nd	0.112
Sampling Point Le Hougillon	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Le Hougillon Borehole	26/05/2015	Nd	Nd	Nd	Nd	Nd	0.010	Nd	Nd	Nd
Sampling Point Permellan	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Permellan Borehole	21/04/2016	-	-	-	-	-	2.2	-	-	ND
Permellan Borehole	30/06/2016	0.053	0.057	1.5	Nd	0.063	3.4	Nd	Nd	0.078
Sampling Point Jubilee Farm	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Jubilee Farm Well	01/03/2016	-	-	-	-	-	0.044	-	-	nd
Sampling Point Delice du Berger	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Delice du Berger Borehole	23/02/2016	-	-	-	-	-	33	-	-	0.67
Delice Du Berger Outside Tap	30/06/2016	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Sampling Point The Barn	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
The Barn Borehole	01/07/2016	0.067	0.063	1.5	Nd	0.026	1.5	Nd	Nd	0.032

Sampling Point BH2d	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Borehole BH2d	30/05/2006	0.05	0.12	0.79	0.19	0.12	2.8	nd	nd	0.20
Borehole BH2d	07/12/2006	0.11	0.18	1.3	0.13	0.13	3.1	nd	nd	0.14
Borehole BH2d	27/06/2007	0.78	2.4	12	1.7	0.89	12	nd	0.32	0.72
Borehole BH2d	10/01/2008	0.91	4.8	17	1.9	1.3	9.0	nd	nd	0.67
Borehole BH2d	09/06/2008	0.77	2.3	8.5	nd	0.85	11	nd	nd	0.31
Borehole BH2d	22/06/2009	1.4	1.2	9.2	nd	0.7	13	nd	nd	0.63
Borehole BH2d	16/06/2011	0.31	0.32	2.6	0.1	0.14	2.9	nd	nd	0.26
Borehole BH2d	20/02/2012	0.29	0.35	2.7	0.092	0.15	3.3	nd	nd	0.20
Borehole BH2d	14/08/2012	0.14	0.15	1.3	0.041	0.071	1.7	nd	nd	0.098
Borehole BH2d	04/03/2013	0.16	0.16	1.3	nd	0.04	0.09	nd	nd	0.08
Sampling Point BH2s	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Borehole BH2s	30/05/2006	0.61	1.1	4.9	nd	0.3	1.6	nd	nd	nd
Borehole BH2s	07/12/2006	0.96	1.2	5.8	nd	0.38	3.6	nd	nd	0.31
Borehole BH2s	27/06/2007	0.32	0.67	5.1	nd	0.24	1.4	nd	nd	0.27
Borehole BH2s	10/01/2008	1.2	7	14	nd	0.6	3.1	nd	nd	0.46
Borehole BH2s	09/06/2008	Nd	1	4	nd	0.41	0.74	nd	nd	0.21
Borehole BH2s	15/12/2008	Nd	0.047	1.4	nd	0.07	0.37	nd	nd	0.08
Borehole BH2s	16/06/2011	0.61	0.59	4.4	nd	0.14	1.2	nd	nd	0.29
Borehole BH2s	20/02/2012	0.55	0.58	4.3	0.032	0.17	1.7	nd	nd	0.30
Borehole BH2s	14/08/2012	0.43	0.59	4.2	0.049	0.18	2.3	nd	nd	0.25
Borehole BH2s	04/03/2013	0.55	0.59	5	0.25	0.24	5.5	nd	nd	0.34
Borehole BH2s	17/04/2014	1.2	0.81	6.1	nd	0.2	0.82	nd	nd	0.17
Borehole BH2s	30/04/2015	0.25	0.38	3.2	Nd	0.15	0.98	Nd	Nd	0.13
Sampling Point BH5d	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Borehole BH5d	30/05/2006	0.68	1.3	5.4	0.44	0.65	5.6	nd	0.09	0.24
Borehole BH5d	07/12/2006	0.48	1.2	5.8	0.22	0.55	6.5	nd	nd	0.36
Borehole BH5d	27/06/2007	0.28	0.75	5.9	nd	0.49	13	nd	0.3	0.35
Borehole BH5d	10/01/2008	0.46	1.9	9.4	0.69	0.9	5.9	nd	nd	0.25
Borehole BH5d	09/06/2008	0.43	1.8	5.7	nd	0.69	7.7	nd	nd	0.29
Borehole BH5d	15/12/2008	0.94	0.47	5.7	10	0.54	35	nd	nd	0.43
Borehole BH5d	22/06/2009	Nd	0.89	3.9	nd	0.47	8.4	nd	nd	0.48
Borehole BH5d	21/06/2011	0.66	0.65	5.5	0.48	0.36	8.0	nd	0.18	0.46
Borehole BH5d	20/02/2012	0.70	0.69	5.2	0.31	0.35	8.3	nd	0.082	0.44
Borehole BH5d	09/08/2012	0.53	0.62	4.7	0.21	0.3	7.4	nd	0.058	0.34
Borehole BH5d	04/03/2013	0.43	0.42	3.5	0.12	0.19	3.0	nd	0.04	0.23
Borehole BH5d	17/04/2014	0.55	0.56	5.5	0.59	0.42	8.0	nd	0.4	0.42
Borehole BH5d	30/04/2015	0.45	0.55	4.8	0.1	0.25	6.1	Nd	Nd	0.33
Sampling Point BH5s	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Borehole BH5s	30/05/2006	0.23	0.57	4.7	1	0.56	18	nd	nd	0.38
Borehole BH5s	07/12/2006	0.077	0.18	3.5	nd	0.42	26	nd	nd	0.19
Borehole BH5s	27/06/2007	0.16	0.64	5.8	nd	0.47	22	nd	nd	0.40
Borehole BH5s	10/01/2008	Nd	nd	2.1	nd	0.21	13	nd	nd	0.12
Borehole BH5s	09/06/2008	0.31	1.2	6.7	1.5	0.52	29	nd	nd	0.30
Borehole BH5s	15/12/2008	Nd	0.45	7.2	10	0.54	35	nd	11	0.33
Borehole BH5s	22/06/2009	1.1	0.98	5.4	8.2	0.32	19	nd	8	0.47
Borehole BH5s	21/06/2011	0.35	0.46	5.4	1.7	0.18	15	nd	0.15	0.47
Borehole BH5s	13/02/2012	0.43	0.57	5.6	0.41	0.091	11	nd	nd	0.27
Borehole BH5s	09/08/2012	0.12	0.23	3	nd	0.11	10	nd	nd	0.22
Borehole BH5s	04/03/2013	0.21	0.28	3.5	0.14	0.11	9.8	nd	nd	0.19
Borehole BH5s	17/04/2014	0.23	0.31	4.7	2.7	0.2	17	nd	0.29	0.52
Borehole BH5s	30/04/2015	0.21	0.34	4.5	0.14	0.13	12	Nd	Nd	0.23
Sampling Point Barracks Well	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Borehole	23/11/2000	<LOD	<LOD	1.6	620	<LOD	11.00	<LOD	<LOD	not examined
Borehole	30/04/2002	<LOD	<LOD	0.93	330	<LOD	5.10	<LOD	<LOD	not examined
Borehole	07/05/2003	<0.58	<0.58	0.41	62	<0.58	2.20	<0.53	<0.53	not examined
Borehole	16/10/2003	<0.58	0.12	0.34	21	<0.58	3.4	2.3	29	not examined
Borehole	28/04/2004	0.29	0.31	1.4	60	0.16	9.9	8.6	17	not examined
Borehole	12/06/2006	0.02	0.08	0.62	52	0.05	3.2	9.1	28	3.1
Borehole	26/06/2006	0.03	0.12	0.69	56	0.08	3.1	9.2	33	3.2
Sampling Point Barracks Well A	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Borehole	09/11/2001	<LOD	<LOD	0.42	74	<LOD	2.48	<LOD	<LOD	not examined
Borehole	09/11/2001	<LOD	<LOD	0.42	71	<LOD	2.86	<LOD	<LOD	not examined
Borehole	21/11/2002	<LOD	<LOD	0.08	13	<LOD	1.40	<LOD	<LOD	not examined
Sampling Point FTG Holding Tank	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Borehole	13/10/1999	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	<LOD	not examined
Borehole	23/11/2000	<LOD	<LOD	2.1	9.8	<LOD	11.00	<LOD	<LOD	not examined

DWI Wholesomeness threshold is below

PFOS: 1.0 µg/l
 PFOA: 5.0 µg/l

- 1 Calibration of PFOS
- 2 PFBS: perfluorobutanesulphonate, calibration with PFBS
- 3 PFPS: assigned as perfluoropentylsulphonate. Measured by comparison with TDFOS, since no reference sample available
- 4 PFHS: perfluorohexylsulphonate
- 5 TDFOS: tridecylfluorooctylsulphonate
- 6 PFHpS: assigned as perfluoroheptylsulphonate. Measured by comparison with TDFOS, since no reference sample available.
- 7 PFOS: perfluorooctylsulphonate
- 8 TDFOXAS: assigned as tridecylfluorooctane sulphoxide assigned as tridecylfluorooctane sulphone. Measured by comparison with TDFOS, since no reference sample available.
- 9 PFOA: perfluorooctanoic acid
- 10 Calibration with PFOA
- 11 Calibration with TDFOS
- 12 Duplicate analysis

PFOS: perfluorooctylsulphonate
 PFOA: perfluorooctanoic acid

nd: not detected; limit of detection 0.01 ppb for PFOS, 0.03 ppb for PFOA

Prior to 2000, the laboratory analytical technique could only detect the two components perfluorohexylsulphonate (PFHS) and perfluorooctylsulphonate (PFOS). Since 2000, the analytical technique has been enhanced and now nine components of