

Sampling Point	Mont a la Brune Housing Estate	Sampling date	PFBS ₂	PFPS _{1,3}	PFHS ₄	TDFOS ₅	PFHpS _{1,6}	PFOS ₇	TDFOXAS _{11,8}	TDFOPAS _{11,8}	PFOA ₉
Mont a la Brune Housing Estate	05/07/1999	-	-	Nd	-	-	Nd	-	-	-	-
Mont a la Brune Housing Estate	14/07/1999	-	-	Nd	-	-	Nd	-	-	-	-
Mont a la Brune Housing Estate	22/07/1999	-	-	Nd	-	-	Nd	-	-	-	-
Mont a la Brune Housing Estate	28/07/1999	-	-	Nd	-	-	Nd	-	-	-	-
Mont a la Brune Housing Estate	04/08/1999	-	-	Nd	-	-	Nd	-	-	-	-
Mont a la Brune Housing Estate	17/08/1999	-	-	Nd	-	-	Nd	-	-	-	-
Mont a la Brune Housing Estate	06/06/2006	-	-	-	-	-	0.02	-	-	-	-
Mont a la Brune Housing Estate	06/12/2006	Nd	0.02	0.04	Nd	Nd	0.19	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	29/08/2008	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	19/12/2008	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	23/06/2009	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	20/01/2010	Nd	Nd	0.03	Nd	Nd	0.03	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	14/02/2011	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	04/07/2011	0.09	Nd	0.04	Nd	Nd	Nd	Nd	Nd	Nd	0.12
Mont a la Brune Housing Estate	09/03/2012	0.013	Nd	0.039	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	20/08/2012	Nd	Nd	0.028	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	06/03/2013	0.02	Nd	0.03	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	16/04/2014	Nd	Nd	0.057	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	25/08/2015	Nd	Nd	0.04	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	01/07/2016	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	05/12/2016	Nd	Nd	0.064	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	05/12/2016	Nd	Nd	0.062	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	05/12/2016	Nd/Nd ₁₂	Nd/Nd ₁₂	0.064/0.053	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂	Nd/Nd ₁₂
Mont a la Brune Housing Estate	02/05/2017	Nd	Nd	0.039	Nd	Nd	Nd	Nd	Nd	Nd	Nd
Mont a la Brune Housing Estate	10/11/2017	-	-	-	-	-	0.00207	-	-	-	<0.002
Sampling Point	Les Cotils	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Les Cotils	06/04/1999	-	-	-	-	-	-	-	-	-	-
Les Cotils	20/01/2000	0.83	1.4	2.93	-	-	1.20	-	-	-	-
Les Cotils	20/04/2000	2.38	4.8	10.15	12.18	2.2	60.00	-	-	-	-
Les Cotils	09/06/2000	2.28	2.70	4.89	<0.84	0.33	1.80	-	-	-	-
Les Cotils	28/07/2000	2.33	2.9	5.26	-	0.39	2.20	-	-	-	-
Les Cotils	03/11/2000	1.70	2.20	4.00	-	0.23	1.00	-	-	-	-
Les Cotils	04/11/2000	2.70	4.40	11.00	-	0.84	3.70	-	-	-	-
Les Cotils	01/05/2001	-	2.10	2.30	-	0.84	3.70	-	-	-	-
Les Cotils	23/10/2001	1.70	2.10	3.60	-	0.44	1.30	-	-	-	-
Les Cotils	04/04/2002	0.89	0.78	2.60	-	0.61	2.10	-	-	-	-
Les Cotils	16/10/2002	-	-	0.61	-	-	1.70	-	-	-	-
Les Cotils	03/02/2003	1.20	2.30	4.40	-	-	1.00	-	-	-	-
Les Cotils	06/03/2003	1.20	2.10	3.80	-	0.61	3.00	-	-	-	-
Les Cotils	06/05/2003	1.20	2.40	5.20	0.52	0.40	1.30	-	-	-	-
Les Cotils	24/07/2003	4.70	9.10	19.00	-	0.55	1.80	-	-	-	-
Les Cotils	19/09/2003	4.90	7.20	14.00	0.76	1.50	8.10	-	-	-	-
Les Cotils	15/10/2003	0.38	0.85	3.20	0.11	0.81	5.40	-	-	-	-
Les Cotils	05/01/2004	0.26	0.55	1.90	-	0.48	3.30	-	-	-	-
Les Cotils	30/01/2004	7.90	11.00	16.00	2.60	0.26	1.50	-	-	-	-
Les Cotils	18/02/2004	2.90	3.30	7.90	0.74	0.99	9.40	-	-	-	-
Les Cotils	09/03/2004	2.20	3.90	7.60	0.95	0.95	5.20	-	-	-	-
Les Cotils	26/04/2004	3.40	0.83	15.00	0.71	0.95	3.40	-	-	-	-
Les Cotils	15/07/2004	2.50	6.50	14.00	-	0.94	3.70	-	-	-	-
Les Cotils	29/09/2004	4.30	7.00	15.00	0.64	1.70	9.60	-	-	-	-
Les Cotils	02/11/2004	0.97	1.50	4.00	-	1.40	5.10	-	-	-	-
Les Cotils	23/02/2005	6.00	5.60	14.00	0.84	1.40	5.80	-	-	-	-
Les Cotils	30/03/2005	4.90	12.00	18.00	-	2.20	12.00	-	-	-	-
Les Cotils	16/05/2005	2.90	4.00	6.30	2.50	1.60	3.20	-	-	-	-
Les Cotils	10/11/2005	12.00	19.00	44.00	-	11.00	4.50	-	-	-	-
Les Cotils	31/05/2006	1.30	2.70	11.00	0.68	0.91	4.80	Nd	Nd	Nd	3.5
Les Cotils	07/12/2006	1.80	3.70	15.00	0.49	1.10	6.20	Nd	Nd	Nd	0.98
Les Cotils	27/06/2007	1.60	2.90	14.00	0.86	0.75	5.10	Nd	Nd	Nd	0.98
Les Cotils	09/01/2008	4.4/5.0 ₁₂	19/23 ₁₂	30/34 ₁₂	1.5/1.6 ₁₂	1.0/1.1 ₁₂	4.2/4.5 ₁₂	Nd	Nd	Nd	3.50
Les Cotils	11/06/2008	1.20	4.50	14.00	1.60	1.40	9.40	Nd	Nd	Nd	0.83
Les Cotils	16/12/2008	1.40	0.88	8.30	Nd	0.52	3.50	Nd	Nd	Nd	0.43
Les Cotils	22/06/2009	5.2/4.8 ₁₂	2.1/2.1 ₁₂	8.7/8.2 ₁₂	Nd/Nd ¹²	0.7/0.75 ₁₂	5.6/6.0 ₁₂	Nd/Nd ¹²	Nd/Nd ¹²	Nd/Nd ¹²	0.83/0.85 ₁₂
Les Cotils	22/12/2009	-	-	-	-	-	2.90	-	-	-	0.39
Les Cotils	03/02/2011	-	-	-	-	-	3.30	-	-	-	0.46
Les Cotils	16/06/2011	-	-	-	-	-	4.10	-	-	-	1.1
Les Cotils	13/02/2012	1.5	1.5	8.9	0.15	0.4	3.10	Nd	Nd	Nd	0.7
Les Cotils	09/08/2012	1.2	1.4	8.8	0.12	0.37	3.20	Nd	Nd	Nd	0.66
Les Cotils	05/03/2013	0.77	0.71	4.93	0.08	0.17	1.05	Nd	Nd	Nd	0.34
Les Cotils	15/05/2014	1.2	1.2	9.4	0.45	0.44	3.30	Nd	Nd	Nd	0.73
Les Cotils	13/05/2015	1.0	1.3	8.3	0.12	0.29	3.00	Nd	Nd	Nd	0.59
Les Cotils	02/06/2016	0.8	0.62	13	0.48	0.57	6.8	Nd	Nd	Nd	0.68
Les Cotils	02/05/2017	3.1	2.6	21	1.6	1.3	19	Nd	0.284	Nd	1.6
Les Cotils	10/11/2017	-	-	-	-	-	11	-	-	-	0.694
Sampling Point	Chateau du Port	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Chateau du Port	06/04/1999	-	-	-	-	-	-	-	-	-	-
Chateau du Port	05/05/1999	-	-	-	-	-	-	-	-	-	-
Chateau du Port	11/05/1999	-	-	5.24	-	-	5.03	-	-	-	-
Chateau du Port	18/05/1999	-	-	-	-	-	-	-	-	-	-
Chateau du Port	25/05/1999	-	-	-	-	-	-	-	-	-	-
Chateau du Port	01/06/1999	-	-	-	-	-	-	-	-	-	-
Chateau du Port	08/06/1999	-	-	-	-	-	-	-	-	-	-
Chateau du Port	14/06/1999	0.72	-	2.82	-	-	2.79	-	-	-	-
Chateau du Port	22/06/1999	1.56	-	5.24	-	-	3.64	-	-	-	-
Chateau du Port	07/01/2000	-	-	2.97	-	-	3.40	-	-	-	-
Chateau du Port	25/04/2000	2.69	3.5	5.64	3.36	0.93	5.40	-	-	-	-
Chateau du Port	29/07/2000	3.73	5.1	6.02	4.62	1.4	8.70	-	-	-	-
Chateau du Port	02/11/2000	1.8	1.6	2.7	-	-	2.60	-	-	-	-
Chateau du Port	22/04/2001	1.6	2.8	2.00	-	-	3.50	-	-	-	-
Chateau du Port	23/10/2001	-	2.60	2.70	-	-	4.50	-	-	-	-
Chateau du Port	04/04/2002	1.00	1.80	2.30	1.10	-	2.50	-	-	-	-
Chateau du Port	05/10/2002	-	-	0.65	-	-	1.90	-	-	-	-
Chateau du Port	07/05/2003	0.76	1.40	3.50	0.28	0.61	2.70	-	-	-	-
Chateau du Port	15/10/2003	0.24	0.52	1.70	-	0.31	4.90	-	-	-	-
Chateau du Port	21/04/2004	1.60	2.20	7.40	-	0.19	5.10	-	-	-	-
Chateau du Port	27/10/2004	0.75	1.10	3.00	-	0.30	4.60	-	-	-	-
Chateau du Port	05/06/2006	0.66	1.20	5.50	0.32	0.38	6.80	Nd	Nd	Nd	0.36
Chateau du Port	26/06/2006	0.52	1.60	5.00	0.34	0.47	5.50	-	-	-	-
Chateau du Port	10/07/2006	0.20	0.70	2.20	4.30	0.22	2.70	-	-	-	-
Chateau du Port	18/07/2006	0.48	1.40	4.60	0.21	0.50	6.90	Nd	Nd	Nd	0.44
Chateau du Port	20/06/2011	1.00	0.84	5.70	0.15	0.24	4.50	Nd	Nd	Nd	0.42
Chateau du Port	21/02/2012	0.89	1.0	6.6	0.093	0.28	5.00	Nd	Nd	Nd	0.38
Chateau du Port	09/08/2012	0.52	0.71	4.8	0.071	0.19	3.90	Nd	Nd	Nd	0.31
Chateau du Port	05/03/2013	0.53	0.54	3.9	0.06	0.13	2.34	Nd	Nd	Nd	0.23
Chateau du Port	15/04/2014	0.53	0.55	4.9	0.14	0.18	4.60	Nd	Nd	Nd	0.34
Chateau du Port	27/05/2015	0.43	0.54	4.5	0.073	0.14	4.30	Nd	Nd	Nd	0.20
Chateau du Port	10/11/2017	-	-	-	-	-	4.48	-	-	-	0.23
Sampling Point	Simon Sand Pit Office	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Simon Sand Pit Office	16/06/1999	-	-	0.55	-	-	nd	-	-	-	not examined
Simon Sand Pit Office	07/01/2000	-	-	0.38	-	-	nd	-	-	-	not examined
Simon Sand Pit Office	19/04/2000	0.23	0.36	0.90	-	-	0.37	-	-	-	not examined
Simon Sand Pit Office	19/07/2000	-	-	1.32	-	-	<0.20	-	-	-	not examined
Simon Sand Pit Office	27/10/2000	-	-	0.64	-	-	<1.0	-	-	-	not examined
Simon Sand Pit Office	07/11/2000	-	-	1.10	-	-	0.51	-	-	-	not examined

Simon Sand Pit Office	17/04/2001	-	-	0.42	-	-	0.72	-	-	not examined
Simon Sand Pit Office	23/10/2001	-	-	<0.4	-	-	<0.4	-	-	not examined
Simon Sand Pit Office	02/04/2002	-	-	0.26	-	-	0.26	-	-	not examined
Simon Sand Pit Office	09/10/2002	-	-	<0.08	-	-	0.34	-	-	not examined
Simon Sand Pit Office	15/10/2002	-	-	0.09	-	-	0.47	-	-	not examined
Simon Sand Pit Office	29/04/2003	0.21	<0.58	0.65	<0.53	<0.58	<0.2	<0.53	<0.53	not examined
Simon Sand Pit Office	11/11/2003	<0.58	<0.58	0.23	<0.53	<0.58	0.26	<0.53	<0.53	not examined
Simon Sand Pit Office	11/11/2003	<0.58	0.23	<0.08	<0.53	0.26	<0.2	<0.53	<0.53	not examined
Simon Sand Pit Office	21/04/2004	<0.58	0.12	0.75	<0.53	<0.58	0.92	<0.53	<0.53	not examined
Simon Sand Pit Office	25/10/2004	0.12	0.12	0.46	<0.53	<0.58	0.24	<0.53	<0.53	not examined
Simon Sand Pit Office	05/06/2006	0.05	0.11	0.64	<0.53	0.05	0.30	<0.53	<0.53	0.09
Simon Sand Pit Office	20/06/2006	0.04	0.11	0.39	<0.53	0.06	0.18	<0.53	<0.53	0.05
Simon Sand Pit Office	04/07/2006	0.04	0.10	0.52	<0.53	0.06	0.26	<0.53	<0.53	<0.03
Simon Sand Pit Office	18/07/2006	0.04	0.11	0.55	<0.53	0.08	0.29	<0.53	<0.53	0.17
Simon Sand Pit Office	27/05/2015	Nd	0.034	0.37	nd	Nd	0.65	Nd	Nd	0.073
Simon Sand Pit Office	02/06/2016	Nd	Nd	0.14	Nd	Nd	0.74	Nd	Nd	Nd
Simon Sand Pit Office	02/05/2017	0.039	0.032	0.41	Nd	0.013	0.75	Nd	Nd	0.064
Simon Sand Pit Office	10/11/2017	-	-	-	-	-	1.03	-	-	0.031
Simon Sand Pit BH	13/02/2018	-	-	-	-	-	0.493	-	-	0.0455
Simon Sand Pit BH	19/02/2018	-	-	-	-	-	0.418	-	-	0.0424
Sampling Point Elm Farm	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Elm Farm Kitchen sink	06/04/1999	7.00	4.64	13.67	4.88	1.93	43.33	-	-	-
Elm Farm Kitchen sink	24/01/2000	2.18	4.00	12.03	4.2	1.8	41.00	-	-	-
Elm Farm Kitchen sink	21/04/2000	5.18	9.10	26.69	10.5	3.30	83.00	-	-	-
Elm Farm Kitchen sink	28/07/2000	2.85	4.30	13.16	5.04	1.90	32.00	-	-	-
Elm Farm Kitchen sink	03/11/2000	0.82	0.88	3.70	1.10	0.52	6.50	-	-	-
Elm Farm Kitchen sink	04/11/2000	6.4	12.00	40.00	11.00	4.70	98.00	-	-	-
Elm Farm Kitchen sink	21/04/2001	3.00	5.50	7.90	3.60	1.50	41.00	-	-	-
Elm Farm Kitchen sink	23/10/2001	2.50	4.60	9.70	5.50	2.00	30.00	-	-	-
Elm Farm Kitchen sink	04/04/2002	1.50	2.70	5.80	2.10	1.10	18.00	-	-	-
Elm Farm Kitchen sink	15/10/2002	-	-	1.00	0.39	0.30	7.90	-	-	-
Elm Farm Kitchen sink	03/02/2003	1.40	2.90	7.30	2.00	1.30	30.00	-	-	-
Elm Farm Kitchen sink	06/03/2003	0.94	2.10	4.80	1.20	0.66	16.00	-	-	-
Elm Farm Kitchen sink	07/05/2003	1.20	2.70	7.20	2.20	1.00	23.00	-	-	-
Elm Farm Kitchen sink	12/06/2003	4.20	8.20	28.00	3.90	3.30	74.00	-	2.00	-
Elm Farm Kitchen sink	22/07/2003	5.70	12.00	34.00	4.40	3.60	52.00	-	-	-
Elm Farm Kitchen sink	22/09/2003	6.40	9.20	23.00	1.20	2.20	34.00	-	-	-
Elm Farm Kitchen sink	15/10/2003	0.37	0.91	4.7	0.58	0.81	23.00	-	0.52	-
Elm Farm Kitchen sink	05/01/2004	0.53	1.3	5.3	0.81	0.8	13.00	-	0.60	-
Elm Farm Kitchen sink	30/01/2004	-	-	-	-	-	51.00	-	-	-
Elm Farm Kitchen sink	18/02/2004	2.2	3.1	11	1.7	2.3	36.00	-	-	-
Elm Farm Kitchen sink	15/03/2004	4.1	3.2	11	1.6	1.2	31.00	-	-	-
Elm Farm Kitchen sink	26/04/2004	2.1	4.1	14	2.7	2.2	41.00	0.35	0.91	-
Elm Farm Kitchen sink	26/05/2004	1.2	2	6.5	0.85	0.78	17.00	-	-	-
Elm Farm Kitchen sink	15/07/2004	2.0	5.0	12.0	-	2.30	52.00	-	-	-
Elm Farm Kitchen sink	25/08/2004	2.7	5.4	11.0	-	0.97	23.00	-	-	-
Elm Farm Kitchen sink	29/09/2004	1.60	2.80	11.00	0.62	2.20	44.00	-	-	-
Elm Farm Kitchen sink	05/10/2004	2.40	3.90	12.00	1.60	1.60	33.00	-	0.73	-
Elm Farm Kitchen sink	02/11/2004	2.00	3.30	9.50	-	1.30	22.00	-	-	-
Elm Farm Kitchen sink	28/02/2005	2.70	3.60	12.00	1.80	2.00	34.00	-	0.98	-
Elm Farm Kitchen sink	30/03/2005	2.40	6.40	16.00	0.77	2.80	71.00	-	1.4	-
Elm Farm Kitchen sink	16/05/2005	2.50	4.00	8.60	-	1.80	30.00	-	-	-
Elm Farm Kitchen sink	09/11/2005	4.50	0.37	25.00	-	8.60	23.00	-	-	-
Elm Farm Kitchen sink	30/05/2006	0.83	2.0	12	2.5	1.4	31.00	0.43	1.4	1.0
Elm Farm Kitchen sink	30/05/2006	0.08	0.13	0.99	0.01	0.01	0.21	Nd	Nd	0.06
Elm Farm Kitchen sink	30/05/2006	0.81	2.0	11	2.4	1.2	30.00	0.15	0.93	0.70
Elm Farm Kitchen sink	27/06/2007	0.64	2.0	14	4.4	1.1	28.00	0.59	2.9	0.88
Elm Farm Kitchen sink	09/06/2008	0.84	2.9	11	2.3	1.1	29.00	Nd	3.0	0.72
Elm Farm Kitchen sink	16/12/2008	0.86	0.69	11	2.6	0.94	34.00	0.35	1.5	0.86
Elm Farm Kitchen sink	23/06/2009	1.5	1.3	8.3	2.3	0.89	27.00	Nd	2.5	0.83
Elm Farm Kitchen sink	21/12/2009	-	-	-	-	-	30.00	-	-	0.68
Elm Farm Kitchen sink	03/02/2011	-	-	-	-	-	38.00	-	-	0.77
Elm Farm Kitchen sink	22/06/2011	0.75	0.98	9.6	2.2	0.63	29.00	0.24	1.1	1.40
Elm Farm Kitchen sink	22/02/2012	1.0	1.3	12	1.6	0.8	30.00	0.17	1.2	0.97
Elm Farm Kitchen sink	09/08/2012	0.64	0.86	7.7	0.89	0.50	19.00	0.050	0.56	0.69
Elm Farm Kitchen sink	05/03/2013	0.66	0.76	8.2	0.89	0.48	17.00	0.050	0.83	0.60
Elm Farm Kitchen sink	16/04/2014	0.87	1.1	14	4.5	1.2	41.00	0.94	4.9	1.3
Elm Farm Kitchen sink	01/06/2015	0.82	1.2	11	0.79	0.72	23.00	nd	0.42	0.84
Elm Farm Kitchen sink	22/06/2016	0.65	0.50	8.6	1.3	0.52	21.00	Nd	Nd	0.67
Elm Farm Kitchen sink	02/05/2017	1.4	1.30	14	1.9	1.1	30.00	Nd	0.42	1.3
Elm Farm Kitchen sink	10/11/2017	-	-	-	-	-	24.20	-	-	1.13
Sampling Point Le Trois Vents	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
Les Trois Vents Borehole	10/11/2005	0.79	0.72	3.60	-	-	2.40	-	-	-
Les Trois Vents Borehole	19/06/2006	0.07	0.21	0.79	-	0.06	0.72	-	-	-
Les Trois Vents Borehole	07/12/2006	0.12	0.27	1.6	Nd	0.06	0.72	Nd	Nd	0.08
Les Trois Vents Borehole	19/06/2006	0.07	0.21	0.79	Nd	0.06	0.72	Nd	Nd	Nd
Les Trois Vents Borehole	07/12/2006	0.12	0.27	1.6	Nd	0.061	0.72	Nd	Nd	0.080
Les Trois Vents Borehole	25/05/2010	0.21	0.16	1.5	Nd	0.049	1.50	Nd	Nd	0.15
Les Trois Vents Borehole	11/02/2011	0.18	0.19	2.00	Nd	0.09	2.20	Nd	Nd	0.11
Les Trois Vents Borehole	16/06/2011	0.28	0.26	2.8	Nd	0.12	4.50	Nd	Nd	0.66
Les Trois Vents Borehole	20/02/2012	0.18	0.20	2.0	Nd	0.086	2.50	Nd	Nd	0.2
Les Trois Vents Borehole	15/08/2012	0.13	0.18	1.6	Nd	0.058	2.30	Nd	Nd	0.14
Les Trois Vents Borehole	05/03/2013	0.15	0.14	1.56	Nd	0.04	1.80	Nd	Nd	0.09
Les Trois Vents Borehole	17/04/2014	0.29	0.30	3.5	Nd	0.11	7.10	Nd	Nd	0.26
Les Trois Vents Borehole	26/05/2015	0.19	0.24	3	Nd	0.071	5.30	Nd	Nd	0.20
Les Trois Vents Borehole	02/05/2017	0.15	0.13	1.6	Nd	0.037	3.30	Nd	Nd	0.112
Les Trois Vents Outside Tap BH	10/11/2017	-	-	-	-	-	1.90	-	-	0.105

Monitoring Sites										
Sampling Point Fire Training Ground 1	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
FTG1	23/02/2012	4	4.9	42	3.8	3.2	41	0.07	0.65	4.1
FTG1	15/08/2012	2.9	3.7	29	1.5	2.5	31	Nd	0.36	2.8
FTG1	06/03/2013	13.86	15.43	97.74	12.28	13.27	91.15	0.34	3.86	8.69
FTG1	17/09/2015	25	27	200.00	14	21	290.00	0.82	3.5	18
FTG1	02/05/2017	30/30	25/25	150/148	20/21	15/15	260/263	0.91/0.82	4.1/4.0	13/14
FTG BH1	13/11/2017	-	-	-	-	-	156	-	-	1.72
Sampling Point Fire Training Ground 4	Sampling date	PFBS	PFPS	PFHS	TDFOS	PFHpS	PFOS	TDFOXAS	TDFOPAS	PFOA
FTG BH4	10/11/2017	-	-	-	-	-	328	-	-	4.58

DWI Wholesomeness threshold is below

PFOS: 1.0 µg/l

PFOA: 5.0 µg/l

- 1 Calibration of PFOS
- 2 PFBS: perfluorobutanesulphonate, calibration with PFBS
- 3 PFPS: assigned as perfluoropentylsulphonate. Measured by comparison with TDFOS, since no reference sample available
- 4 PFHS: perfluorohexylsulphonate
- 5 TDFOS: tridecylfluorooctylsulphonate
- 6 PFHpS: assigned as perfluoroheptylsulphonate. Measured by comparison with TDFOS, since no reference sample available.
- 7 PFOS: perfluorooctylsulphonate
- 8 TDFOXAS: assigned as tridecylfluorooctane sulphoxide assigned as tridecylfluorooctane sulphone. Measured by comparison with TDFOS, since no reference sample available.
- 9 PFOA: perfluorooctanoic acid
- 10 Calibration with PFOA
- 11 Calibration with TDFOS
- 12 Duplicate analysis

PFOS: perfluorooctylsulphonate

PFOA: perfluorooctanoic acid

nd: not detected; limit of detection 0.01 ppb for PFOS, 0.03 ppb for PFOA

Prior to 2000, the laboratory analytical technique could only detect the two components perfluorohexylsulphonate (PFHS) and perfluorooctylsulphonate (PFOS). Since 2000, the analytical technique has been enhanced and now nine components of